

WATER MAIN MATERIALS		
<u>ITEM</u>	<u>MANUFACTURERS</u>	<u>PART NO.</u>
Air Release Valves	1. Empire 2. Valmatic 3. Apco	1. 920 2. VM-38 3. 200
Casing Spacers	1. Cascade 2. PSI	1. CCS-12"Width Min. 2. C12G-2
Corporation Stops	1. Ford	1. F-1000, FB-1000
Curb Stops	1. Ford	1. Single Service: B43-342W Double Svc./Branch: BA13-232W/U48-43
Expansion Joints	1. Mercer 2. Metraflex 3. EBBA Iron	
Fire Hydrants	1. Mueller 2. American	1. Super Centurion 200 2. B 84 5 1/4"
Fittings	1. Union 2. U. S. Pipe 3. NAPPCO 4. American 5. Tyler 6. Trinity Valley	
Gate Valves (12" & Smaller) Resilient Seated Only	1. Mueller 2. American Flow Control	1. A-2370-20 2. Series 2500
Painting: Aerial Piping, Fittings & Valves A. Field Primer B. Finish (Exterior)	1. Porter/International 2. Koppers 3. Tnemec 4. Glidden 1. Porter/International 2. Koppers 3. Tnemec 4. Glidden	1. 284 U-Primer 2. Pug Primer 3. 37-77 Chem-Prime 4. Alkyd Metal Primer 1. 2410 Alkyd Gloss 2. Glamortex 501Ena. 3. Tnemec-Gloss 4. Alkyd Ind. Enamel

Pipe (DI)	<ol style="list-style-type: none"> 1. American 2. McWane 3. U. S. Pipe 4. Griffin 	
Pipe (PVC)	<ol style="list-style-type: none"> 1. CertainTeed 2. Can-Tex 3. North Star 4. J-M 5. Capco 6. H & W Industries 	
Polyethylene Tubing	<ol style="list-style-type: none"> 1. Yardley 2. Orangeburg 3. Contube 	
Restrained Joints	<ol style="list-style-type: none"> 1. EBAA Iron Inc. 	<ol style="list-style-type: none"> 1. Megalug
Service Saddles	<ol style="list-style-type: none"> 1. Smith Blair 2. Ford 3. JCM 4. Mueller 5. Baker 	<ol style="list-style-type: none"> 1. 313 2. F-202 3. 402 4. Series 10500 5. Shur Seal-O
Tapping Sleeves (Fabricated Steel)	<ol style="list-style-type: none"> 1. Smith Blair 2. JCM 3. Baker 4. Ford 5. Water Works 6. Mueller 7. Romac 	<ol style="list-style-type: none"> 1. 622 2. 412 3. 428 4. FTSC 5. CT-790 6. H-624 7. SST
Tapping Sleeves, M.J.	<ol style="list-style-type: none"> 1. U. S. Pipe 2. Mueller 3. Tyler 4. Waterous 5. Clow 6. M & H 7. American-Darling 	<ol style="list-style-type: none"> 1. T-9 2. H-615 3. S-149 4. 800 5. F5205 6. 1174 7. A-D
Tapping Valves	<ol style="list-style-type: none"> 1. American Flow Control 2. Mueller 	<ol style="list-style-type: none"> 1. 2500 2. H-687
Valves Boxes	<ol style="list-style-type: none"> 1. Tyler 	
Vault Frame and Cover for Air Release Valves	<ol style="list-style-type: none"> 1. U. S. Foundry 	<ol style="list-style-type: none"> 1. USF 7665

Residential Meters	<ol style="list-style-type: none"> 1. Neptune 2. Invensys 3. Kent 	<ol style="list-style-type: none"> 1. T-10 2. SR II 3. C-700
Meter Box Lids	<p>All single (double) meter box lids must be provided with one (two) 1.75 inch diameter hole(s) for mounting Neptune brand meter interface unit(s). Lid thickness must be no less than 0.5 inches, and no greater than 1.5 inches.</p>	